

WHAT IS CLAIMED IS:

5 ^{al} 1. A method for indicating expert availability from a pool of experts using a client system - server system, said method comprising the steps of:

connecting the client system to the server system;

5 accessing a database within the server system comprising a pool of experts, the experts pool further comprising identification of experts and their availability;

displaying expert information including expert availability information on the client system through an applet downloaded from the server system when a user calls upon an expert to seek assistance; and

10 contacting the expert based on user selected expert information input ~~into the client system.~~

2. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying photographs of the available experts within the expert pool.

15 3. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying testimonials for the available experts within the expert pool.

20 4. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying biographical data of the available experts within the expert pool.

5. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying length of service for the available experts within the expert pool.

25 6. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying areas of expertise of the available experts within the expert pool.

7. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying previous customer interactions with the available experts within the expert pool.

8. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying which experts within the expert pool are free and which experts are helping other users.

9. A method according to Claim 1 wherein said step of displaying expert information on the client system further comprises the step of displaying which experts within the expert pool are free and which experts are helping other users through an expert availability indicator displayed on the client system.

10. A method according to Claim 1 wherein said step of displaying expert information through an expert availability indicator further comprises the step of displaying availability information through an applet implemented in at least one of a well known programming language such as Java, C, and C++.

11. A method according to Claim 1 wherein said step of displaying expert information through an expert availability indicator further comprises the step of tracking expert availability.

12. A method according to Claim 11 wherein said step of tracking expert availability further comprises the steps of:

tracking experts availability;

tracking users who are interested in contacting a specific expert;

tracking an amount of time each user has been waiting to connect with the specific expert; and

displaying the expert availability on the client system.

13. A method according to Claim 1 wherein said step of contacting an expert based on user input into the client system further comprises the step of using user input into a user interface to select a free expert or join a queue of an expert currently helping another user.

14. A method according to Claim 13 wherein said step of contacting an expert based on user input into the client system further comprises the step of using user input to select a free expert or join a queue of an expert currently helping another user after having previously selected the queue of a different expert.

5 15. A method according to Claim 1 wherein said step of contacting an expert based on user input into the client system further comprises the step of selecting an expert based on a keyword match.

10 16. A method according to Claim 15 wherein said step of selecting an expert based on a keyword match further comprises the step of analyzing a user's request against the expertise and biographical data of available experts.

17. A system for indicating expert availability, through an applet, from a pool of experts, said system comprising:

a server system,

15 a client system configured with a browser, said client system connected to said server system; and

a database comprising an expert pool comprising identification of experts and their availability, said server system configured to cause expert availability information in said database to be displayed on said client system through an applet when a user calls upon an expert to seek assistance.

20 18. A system according to Claim 17 wherein said expert pool database further configured with photographs of the available experts.

19. A system according to Claim 17 wherein said expert pool database further configured with testimonials for the available experts.

25 20. A system according to Claim 17 wherein said expert pool database further configured with biographical data of the available experts.

21. A system according to Claim 17 wherein said expert pool database further configured with length of service for the available experts.

22. A system according to Claim 17 wherein said expert pool database further configured with areas of expertise for the available experts.

23. A system according to Claim 17 wherein said expert pool database further configured with specific customer previous interactions with the available experts.

24. A system according to Claim 17 wherein said expert pool database further configured to cause said server system to show a user which experts are free and which experts are helping other users on said client system.

25. A system according to Claim 24 wherein said expert pool database further configured to allow said client system to cause said server system to select a free expert or to join a queue of an expert currently helping another user.

26. A system according to Claim 25 wherein said expert pool further configured to allow said client system to cause said server system to select a free expert or join a queue of an expert currently helping another user after having previously selected the queue of a different expert.

27. A system according to Claim 25 wherein said expert pool database further configured to allow a user to engage an expert by exchanging textual messages.

28. A system according to Claim 25 wherein said expert pool further configured to allow a user to engage an expert by telephone.

29. A system according to Claim 17 wherein said server system configured as a server system for a network of client devices.

30. A system according to Claim 29 wherein said server system and said client system are connected via a network.

31. A system according to Claim 30 wherein said network is at least one of a wide area network, a local area network, an intranet, and the Internet.

32. A system according to Claim 17 wherein said server system is further configured to select an expert based on a keyword match after analyzing a

user's request against the expertise and biographical data and other information including correspondence record of chat sensors of the available experts.

5 33. A system according to Claim 17 wherein said server system is further configured to display which experts within the expert pool are free and which experts are helping other users.

 34. A system according to Claim 17 wherein said server system is further configured to display which experts within the expert pool are free and which experts are helping other users through an expert availability indicator displayed on the client system.

10 35. A system according to Claim 34 wherein said server system is further configured to display availability information through an applet implemented in at least one of a well known programming languages such as Java, C, and C++.

 36. A system according to Claim 17 wherein said server system is further configured to track expert availability.

15 37. A system according to Claim 36 wherein said server system configured to display expert availability is further configured to:

 track expert availability;

 track users who are interested in contacting a specific expert;

20 track an amount of time each user has been waiting to connect with the specific expert; and

 display the expert availability on the client system.

 38. A system according to Claim 17 wherein said server system further configured to contact an expert based on user input into the client system.

25 39. A system according to Claim 38 wherein said server system further configured to use user input from a user interface to select a free expert or join a queue of an expert currently helping another user.

 40. A system according to Claim 17 wherein said server system further configured to contact an expert based on user input from the client system to

1. $\frac{1}{2}$ lb. of butter, melted
 2. $\frac{1}{2}$ lb. of sugar
 3. $\frac{1}{2}$ lb. of brown sugar
 4. $\frac{1}{2}$ lb. of molasses
 5. $\frac{1}{2}$ lb. of cream
 6. $\frac{1}{2}$ lb. of milk
 7. $\frac{1}{2}$ lb. of eggs
 8. $\frac{1}{2}$ lb. of flour
 9. $\frac{1}{2}$ lb. of corn meal
 10. $\frac{1}{2}$ lb. of rice
 11. $\frac{1}{2}$ lb. of oatmeal
 12. $\frac{1}{2}$ lb. of barley
 13. $\frac{1}{2}$ lb. of wheat
 14. $\frac{1}{2}$ lb. of rye
 15. $\frac{1}{2}$ lb. of buckwheat
 16. $\frac{1}{2}$ lb. of sorghum
 17. $\frac{1}{2}$ lb. of millet
 18. $\frac{1}{2}$ lb. of amaranth
 19. $\frac{1}{2}$ lb. of quinoa
 20. $\frac{1}{2}$ lb. of speltz
 21. $\frac{1}{2}$ lb. of kamut
 22. $\frac{1}{2}$ lb. of farro
 23. $\frac{1}{2}$ lb. of bulgur
 24. $\frac{1}{2}$ lb. of orzo
 25. $\frac{1}{2}$ lb. of dinkel
 26. $\frac{1}{2}$ lb. of emmer
 27. $\frac{1}{2}$ lb. of einkorn
 28. $\frac{1}{2}$ lb. of speltz
 29. $\frac{1}{2}$ lb. of kamut
 30. $\frac{1}{2}$ lb. of farro
 31. $\frac{1}{2}$ lb. of bulgur
 32. $\frac{1}{2}$ lb. of orzo
 33. $\frac{1}{2}$ lb. of dinkel
 34. $\frac{1}{2}$ lb. of emmer
 35. $\frac{1}{2}$ lb. of einkorn
 36. $\frac{1}{2}$ lb. of speltz
 37. $\frac{1}{2}$ lb. of kamut
 38. $\frac{1}{2}$ lb. of farro
 39. $\frac{1}{2}$ lb. of bulgur
 40. $\frac{1}{2}$ lb. of orzo
 41. $\frac{1}{2}$ lb. of dinkel
 42. $\frac{1}{2}$ lb. of emmer
 43. $\frac{1}{2}$ lb. of einkorn
 44. $\frac{1}{2}$ lb. of speltz
 45. $\frac{1}{2}$ lb. of kamut
 46. $\frac{1}{2}$ lb. of farro
 47. $\frac{1}{2}$ lb. of bulgur
 48. $\frac{1}{2}$ lb. of orzo
 49. $\frac{1}{2}$ lb. of dinkel
 50. $\frac{1}{2}$ lb. of emmer
 51. $\frac{1}{2}$ lb. of einkorn
 52. $\frac{1}{2}$ lb. of speltz
 53. $\frac{1}{2}$ lb. of kamut
 54. $\frac{1}{2}$ lb. of farro
 55. $\frac{1}{2}$ lb. of bulgur
 56. $\frac{1}{2}$ lb. of orzo
 57. $\frac{1}{2}$ lb. of dinkel
 58. $\frac{1}{2}$ lb. of emmer
 59. $\frac{1}{2}$ lb. of einkorn
 60. $\frac{1}{2}$ lb. of speltz
 61. $\frac{1}{2}$ lb. of kamut
 62. $\frac{1}{2}$ lb. of farro
 63. $\frac{1}{2}$ lb. of bulgur
 64. $\frac{1}{2}$ lb. of orzo
 65. $\frac{1}{2}$ lb. of dinkel
 66. $\frac{1}{2}$ lb. of emmer
 67. $\frac{1}{2}$ lb. of einkorn
 68. $\frac{1}{2}$ lb. of speltz
 69. $\frac{1}{2}$ lb. of kamut
 70. $\frac{1}{2}$ lb. of farro
 71. $\frac{1}{2}$ lb. of bulgur
 72. $\frac{1}{2}$ lb. of orzo
 73. $\frac{1}{2}$ lb. of dinkel
 74. $\frac{1}{2}$ lb. of emmer
 75. $\frac{1}{2}$ lb. of einkorn
 76. $\frac{1}{2}$ lb. of speltz
 77. $\frac{1}{2}$ lb. of kamut
 78. $\frac{1}{2}$ lb. of farro
 79. $\frac{1}{2}$ lb. of bulgur
 80. $\frac{1}{2}$ lb. of orzo
 81. $\frac{1}{2}$ lb. of dinkel
 82. $\frac{1}{2}$ lb. of emmer
 83. $\frac{1}{2}$ lb. of einkorn
 84. $\frac{1}{2}$ lb. of speltz
 85. $\frac{1}{2}$ lb. of kamut
 86. $\frac{1}{2}$ lb. of farro
 87. $\frac{1}{2}$ lb. of bulgur
 88. $\frac{1}{2}$ lb. of orzo
 89. $\frac{1}{2}$ lb. of dinkel
 90. $\frac{1}{2}$ lb. of emmer
 91. $\frac{1}{2}$ lb. of einkorn
 92. $\frac{1}{2}$ lb. of speltz
 93. $\frac{1}{2}$ lb. of kamut
 94. $\frac{1}{2}$ lb. of farro
 95. $\frac{1}{2}$ lb. of bulgur
 96. $\frac{1}{2}$ lb. of orzo
 97. $\frac{1}{2}$ lb. of dinkel
 98. $\frac{1}{2}$ lb. of emmer
 99. $\frac{1}{2}$ lb. of einkorn
 100. $\frac{1}{2}$ lb. of speltz
 101. $\frac{1}{2}$ lb. of kamut
 102. $\frac{1}{2}$ lb. of farro
 103. $\frac{1}{2}$ lb. of bulgur
 104. $\frac{1}{2}$ lb. of orzo
 105. $\frac{1}{2}$ lb. of dinkel
 106. $\frac{1}{2}$ lb. of emmer
 107. $\frac{1}{2}$ lb. of einkorn
 108. $\frac{1}{2}$ lb. of speltz
 109. $\frac{1}{2}$ lb. of kamut
 110. $\frac{1}{2}$ lb. of farro
 111. $\frac{1}{2}$ lb. of bulgur
 112. $\frac{1}{2}$ lb. of orzo
 113. $\frac{1}{2}$ lb. of dinkel
 114. $\frac{1}{2}$ lb. of emmer
 115. $\frac{1}{2}$ lb. of einkorn
 116. $\frac{1}{2}$ lb. of speltz
 117. $\frac{1}{2}$ lb. of kamut
 118. $\frac{1}{2}$ lb. of farro
 119. $\frac{1}{2}$ lb. of bulgur
 120. $\frac{1}{2}$ lb. of orzo
 121. $\frac{1}{2}$ lb. of dinkel
 122. $\frac{1}{2}$ lb. of emmer
 123. $\frac{1}{2}$ lb. of einkorn
 124. $\frac{1}{2}$ lb. of speltz
 125. $\frac{1}{2}$ lb. of kamut
 126. $\frac{1}{2}$ lb. of farro
 127. $\frac{1}{2}$ lb. of bulgur
 128. $\frac{1}{2}$ lb. of orzo
 129. $\frac{1}{2}$ lb. of dinkel
 130. $\frac{1}{2}$ lb. of emmer
 131. $\frac{1}{2}$ lb. of einkorn
 132. $\frac{1}{2}$ lb. of speltz
 133. $\frac{1}{2}$ lb. of kamut
 134. $\frac{1}{2}$ lb. of farro
 135. $\frac{1}{2}$ lb. of bulgur
 136. $\frac{1}{2}$ lb. of orzo
 137. $\frac{1}{2}$ lb. of dinkel
 138. $\frac{1}{2}$ lb. of emmer
 139. $\frac{1}{2}$ lb. of einkorn
 140. $\frac{1}{2}$ lb. of speltz
 141. $\frac{1}{2}$ lb. of kamut
 142. $\frac{1}{2}$ lb. of farro
 143. $\frac{1}{2}$ lb. of bulgur
 144. $\frac{1}{2}$ lb. of orzo
 145. $\frac{1}{2}$ lb. of dinkel
 146. $\frac{1}{2}$ lb. of emmer
 147. $\frac{1}{2}$ lb. of einkorn
 148. $\frac{1}{2}$ lb. of speltz
 149. $\frac{1}{2}$ lb. of kamut
 150. $\frac{1}{2}$ lb. of farro
 151. $\frac{1}{2}$ lb. of bulgur
 152. $\frac{1}{2}$ lb. of orzo
 153. $\frac{1}{2}$ lb. of dinkel
 154. $\frac{1}{2}$ lb. of emmer
 155. $\frac{1}{2}$ lb. of einkorn
 156. $\frac{1}{2}$ lb. of speltz
 157. $\frac{1}{2}$ lb. of kamut
 158. $\frac{1}{2}$ lb. of farro
 159. $\frac{1}{2}$ lb. of bulgur
 160. $\frac{1}{2}$ lb. of orzo
 161. $\frac{1}{2}$ lb. of dinkel
 162. $\frac{1}{2}$ lb. of emmer
 163. $\frac{1}{2}$ lb. of einkorn
 164. $\frac{1}{2}$ lb. of speltz
 165. $\frac{1}{2}$ lb. of kamut
 166. $\frac{1}{2}$ lb. of farro
 167. $\frac{1}{2}$ lb.